

## THE UNITED STATES OF AMERICAL

TO ALL TO WHOM THESE: PRESENTS: SHALL COME:

HroSeeds Marketing, Inc.

DECEMS, THERE HAS BEEN PRESENTED TO THE

#### Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED PLANT. THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY TO ASSIGN OF THE PAYMENT OF THE REQUIRED FEES AND PERIODIC PROSEST OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR TING IT, OR EXPORTING IT, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE REPOSES, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT THE PLANT VARIETY PROTECTION ACT. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

FESCUE, TALL

'Five Point'

In Testimonn Marcest, I have hereunto set my hand and caused the seal of the Plant Bariety Protection Office to be affixed at the City of Washington, D.C. this twenty-ninth day of November, in the year two thousand and seven.

Attest

Benz-

Commissioner Plant Variety Protection Office Agricultural Marketing Service ciculture

<del></del>		.w			Form Approved - OMB No. 0681-9855				
REPRODUCE LOCALLY, molecle form number and the	NY OF ACRICULTI	The second secon	This following sis legions are made i	n eccordenc	og wan the Privacy Act of 1974 (6 U.S.C. 5529) and				
AGRICULTURAL I SCIENCE AND TECHNOLOGY - P	WARKETING SERV	ICE .	■ e Paperwork Reduction Act (FRA)	OF 1090.					
APPLICATION FOR PLANT VA	RIETY PROTECTA	ON CERTIFICATE	A solication is required in order to de (1 U S C. 2421). Information is held	termine il a j confidential	olant variety promotion certificate is to be assed until certificate is assed (7 U.S.C. 7428).				
1. NAME OF OWNER		y 11. 75	2 TEMPORARY DESIGNATION OF EXPERIMENTAL NAME	3. VA	RIETY NAME				
ProSeeds Marketing, Trees of the	or's		MCN	Five	Point				
4 ADDRESS (SMINI and No. or R.F.D. No., CRU,	State, and ZIP Cod	le, end Country)	5 TELEPHONE (Include area code	,	POR OFFICIAL USE ONLY PVPO NUMBER				
13963 Westside Lane S.			(541) 928-9999						
Jefferson, OR 97352			6 FAX (Include area code)	10	100400226				
And the second of the second o			(541) 924-5695	FILIN	200400226 PILING DATE May 14, 2004				
7. IF THE OWNER NAMED IS NOT A "PERSON", ORGANIZATION (corporation, partnersing, asso	GIVE FORM OF	8, IF INCORPORATED, GIVE STATE OF INCORPORATION		7 ;					
corporation		OR	May 16, 1990						
10, NAME AND ADDRESS OF OWNER REPRES	ENTATIVE(S) TO	ERVE IN THIS APPLICATION, IFIS	(purs in mod will receive all papers)	F	FLING AND EXAMINATION FEES:				
V.G. Lehman				\$	. 3636				
811 Mountain River Dr.		7.7 G		, a E	CERTIFICATION FEE				
Lebanon, OR 97355		**************************************	•	Ç					
			*	Į V	. 768.00				
				£	DATE 10/19/2007				
11. TELEPHONE (Include cree code)	12 FAX (Inchic	in acres corto)	13. E-MAIL	0					
(541) 451-1847	(541) 45		vlehman@sol.com						
14. CROP KIND (Common Name)	l ' ' .	(ME (Botanzel)	18, DOES THE VARIETY CO	YMA NIATY	TRANSGENEST (OPTIONAL)				
tall fescue	Graminac		☐ YES ☑ HO	Ī					
S GENUS AND SPECIES NAME OF CROP	J	VETY A FIRST GENERATION HYB	IF SO, PLEASE GIVE TH	E ASSIGNÉ	D USDA APHIS REFERENCE NUMBER FOR THI JUATE THE GENETICALLY MODIFIED PLANT FO				
Festuca arundinacea	□ ves	<b>☑</b> №	COMMERICALIZATION.		SOLIE INCOME INCOME				
12 CHECK APPROPRIATE BOX FOR EACH ATT	ACHMENT GUBM	ПФ	70 DOES THE OWNER SPE	CIFY THAT	SEED OF THIS VARIETY BE BOLD AS A CLASS				
(Follow instructions on reverse)					1 83(a) of the Plant Variety Protection Act)				
Exhibit A Origin and Breeding History	A DU DUM NATUREÀ		TYES (IT YES, "E YES," SIDENCE SECTION 27 AND 22 DEBON)  21. DOES THE CONNER SPECIFY THAT SEED OF THIS VARIETY BE LIMITED AS TO NUMBER OF CLASSES?  WYES NO NO  IF YES, WHICH CLASSES? IF FOUNDATION ID REGISTERED ID CERTIFIED  22. DOES THE OWNER SPECIFY THAT SEED OF THIS VARIETY BE LIMITED AS TO NUMBER OF CENERATIONS?  YES NO						
b. Exhibit B. Statement of Distinctness									
e. Denibit C. Objective Description of Va									
ti 📝 Exhibit D. Additional Ossicription of th									
e. Exhibit E. Statement of the Basis of the									
Volumer Sample (2,000 visible unified     verification that besue culture will be of     mpository)				3, enc. For each class					
g 👿 Filing and Examination Fee (\$3,852),		recursives of the United	2 FOUNDATION 2 REGISTERED 2 CERTIFIED						
States" (Me# to the Plant Venery Profe	oction Office)	A. B.	(If additional explanation is necessary, please use the space indicated on the reverse,)						
23 HAS THE VARIETY (INCLUDING ANY HARVE FROM THIS VARIETY BEEN SOLD, DISPOSE OTHER COUNTRIES?	STED WATERIAL D OF, TRANSFER	OR A HYBRID PRODUCED RED, OR USED IN THE U. S. OR	24. IS THE VARIETY OR ANY COMPONENT OF THE VARIETY PROTECTED BY INTELLECTUAL PROPERTY RIGHT (PLANT BREEDER'S RIGHT OR PATENTY)  YES [7] NO						
VES -E-NO									
(BT:9/3007/12) IF YES, YOU MUST PROVIDE THE DATE OF FOR EACH COUNTRY AND THE CIRCUMST	FIRST SALE, DIS	POSITION, TRANSFER, OR USE space indicated on reverse.)	IF YES, PLEASE GIVE COUNTRY, DATE OF FILING OR ISSUANCE AND ASSIGNED REFERENCE NUMBER (Please is a specio included on traverse.)						
25. The owners declare that a violate sample of be a tuber propagated variety a nesse custure will	aic seed of the ver	ety has been furnished with applicant	on as d will be replemented upon request	л эссонал	ce with such regulations as may be opplicable, or fr				
The undersigned owner(s) is/are) the owner of	This sexue by repro	duced of tuber propagated plant vari		, distinct, ur	ilform, and stable as required in Section 42, and b				
entified to protection under the provisions of S Owner(s) is (are) informed the table represent		1	alties						
SIGNATURE OF OWNER	/ /		SIGNATURE OF OWNER						
1 //2.3//									
NAME (PRONTO PAIN O Type)			NA IE (Please post or lyow)						
DICLE OLSON	<u>) , , , , , , , , , , , , , , , , , , ,</u>	<u></u>		<u> </u>	—				
<u> </u>	DAT	£	CA PACITY ON TITLE DATE						
CAPACITY OR TITLE	17	-16-04			•				

ET-470 (04-03) designed by the Pleat Variety Protection Office using Ward 2002

GENERAL: To be effectively filed with the Plant Variety Protection Office (PVPO), ALL of the following items must be tectived in the PtPO (1) Completed application form signed by the owner; (2) completed exhibits A, B, C, E; (3) for a seed reproduced variety at least 2,500 viable untreated seeds, for a hybrid variety at least 2,500 untreated seeds of each line necessary to reproduce the variety, or for tuber reproduced varieties verification that a viable (in the sense that it will reproduce an entire plant) tissue culture will be deposited and maintained in an approved public repository; (4) check drawn on a U.S. bank for \$3,652 (\$432 filing fee and \$3,220 examination fee), payable to "Treasurer of the United States" (See Section 97.6 of the Regulations and Rules of Practice.) Partial applications will be held in the PVPO for not more than 90 days, then returned to the applicant as unfiled. Mail application and other requirements to Plant Variety Protection Office, AMS, USDA, Room 401, NAL Building, 10301 Baltimore Avenue, Beltsville, MD 20705-2351. Retain one copy for your files. All items on the face of the application are self explanatory unless noted below. Corrections on the application form and exhibits must be initialed and dated. DO NOT use masking materials to make corrections. If a certificate is allowed, you will be requested to send a check payable to "Treasurer of the United States" in the amount of \$432 for issuance of the certificate. Certificates will be issued to owner, not licensee or agent.

Plant Variety Protection Office Telephone: (301) 504-5518 FAX: (301) 504-5291

Homepage: http://www.ams.usda.gov/science/pvpo/pvp.htm

To avoid conflict with other variety names in use, the applicant must check the appropriate recognized authority and provide evidence that name has been cleared by the appropriate recognized authority before the Certificate of Protection is issued. For example, for agricultural and vegetable crops, contact: Seed Branch, AMS, USDA, 10301 Baltimore Avenue, Suite 401 NAL Building, Beltsville, MD 20705. Telephone: (301) 504-5682 http://www.ams.usda.gov/lsg/seed.htm.

#### ITEM

19a. Give:

- (1) the genealogy, including public and commercial varieties, lines, or clones used, and the breeding method;
- (2) the details of subsequent stages of selection and multiplication;
- (3) evidence of uniformity and stability; and
- (4) the type and frequency of variants during reproduction and multiplication and state how these variants may be identified
- 19b. Give a summary of the variety's distinctness. Clearly state how this application variety may be distinguished from all other varieties in the same crop. If the new variety is most similar to one variety or a group of related varieties:
  - (1) identify these varieties and state all differences objectively;
  - (2) attach statistical data for characters expressed numerically and demonstrate that these are clear differences; and
  - (3) submit, if helpful, seed and plant specimens or photographs (prints) of seed and plant comparisons which clearly indicate distinctness.
- 19c. Exhibit C forms are available from the PVPO Office for most crops; specify crop kind. Fill in Exhibit C (Objective Description of Variety) form as completely as possible to describe your variety.
- 19d. Optional additional characteristics and/or photographs. Describe any additional characteristics that cannot be accurately conveyed in Exhibit C. Use comparative varieties as is necessary to reveal more accurately the characteristics that are difficult to describe, such as plant habit, plant color, disease resistance, etc.
- 19e. Section 52(5) of the Act requires applicants to furnish a statement of the basis of the applicant's ownership. An Exhibit E form is available from the PVPO.
- 20. If "Yes" is specified (seed of this variety be sold by variety name only, as a class of certified seed), the applicant MAY NOT reverse this affirmative decision after the variety has been sold and so labeled, the decision published, or the certificate issued. However, if "No" has been specified, the applicant may change the choice. (See Regulations and Rules of Practice, Section 97.103).
- 23. See Sections 41, 42, and 43 of the Act and Section 97.5 of the regulations for eligibility requirements.
- 24. See Section 55 of the Act for instructions on claiming the benefit of an earlier filing date.
- 22. CONTINUED FROM FRONT (Please provide a statement as to the limitation and sequence of generations that may be certified.)

23. CONTINUED FROM FRONT (Please provide the date of first sale, disposition, transfer, or use for each country and the circumstances, if the variety (including any harvested material) or a hybrid produced from this variety has been sold, disposed of, transferred, or used in the U.S. or other countries.)

Date of 1st sale = 29 Sept 2003

24. CONTINUED FROM FRONT (Please give the country, date of filing or issuance, and assigned reference number, if the variety or any component of the variety is protected by intellectual property right (Plant Breeder's Right or Patenti.)

NOTES: It is the responsibility of the applicant/owner to keep the PVPO informed of any changes of address or change of ownership or assignment or owner's representative during the life of the application/certificate. The fees for filing a change of address; owner's representative; ownership or assignment; or any modification of owner's name is specified in Section 97.175 of the regulations. (See Section 101 of the Act, and Sections 97.130, 97.131, 97.175(h) of the Regulations and Rules of Practice.)

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid CMB control number for this information collection is estimated to average 1.4 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, gender, religion, age, disability, sexual orientation, marital or family status, political beliefs, parental status, or protected genetic information. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 328-W, Whitten Building, 14th and Independence Avenue, SW, Washington, DC 20250-9410 or call 202-720-5964 (voice and TDD). USDA is an equal opportunity provider and employer.

#### Origin and Breeding History of MCN Tall Fescue

MCN tall fescue (*Festuca arundinacea* Schreb.) is a medium low-growing, dark green, medium-fine-leaved, turf-type tall fescue selected from the maternal progenies of 110 clones. Forty percent of the parental germplasm contained the *Neotyphodium* endophyte.

The maternal germplasm of MCN traces to fourteen different sources. Fifteen percent trace to several plants selected from or related to Barlexas. Approximately twelve percent trace to several plants selected from or related to Gazelle tall fescue. Another twelve percent trace to a few plants selected from a farm in eastern North Carolina, in 1975. Twelve percent trace to plants selected from or related SR 8400. Ten percent trace to several plants selected from Lexington, KY in 1979. Eight percent trace to several plants selected from or related to Rebel 3D. Six percent trace to plants selected from or related to Arid tall fescue. Another six percent trace to several plants selected from the grounds near the GA state hospital, in 1977. Five percent trace to plants selected from or related to Apache tall fescue. Another five percent trace to plants selected from or related to Amigo. Another five percent trace to several plants selected from the University of Georgia, Athens, GA in 1977. One percent traces to several plants selected from the University of Georgia, Athens, GA in 1975. Another one percent traces to a plant used in an inter-specific crossing program with perennial ryegrass.

The parental germplasm of MCN tall fescue traces its origin to plants selected from old turfs of the United States in a germplasm collection program initiated in 1962, to plants selected from or related to Rebel tall fescue (Funk et al., 1981). Attractive clones were selected from old turfs in Birmingham, AL; Athens, Atlanta, and Millegeville, GA; Preston, ID; Baltimore, MD; Bayonne, Jersey City, Elizabeth, Princeton, and Cape May, NJ; eastern North Carolina; Philadelphia, PA; Nashville, TN;

Lexington, KY; Cincinnati, OH; Dallas, TX; and northern Mississippi. The tall fescue plants selected from old turfs were of unknown origin. All were large patches of turf surviving in stressful environments indicating that they had persisted and developed over a period of many years.

A few hundred attractive, turf-type plants were collected and established in spaced-plant nurseries and/or frequently mowed clonal evaluation trials at Rutgers University. All but a few dozen of the most promising plants were quickly discarded. The best selections were very different from any tall fescue variety in existence at the time of collection. They produced lower-growing turfs with finer leaves, greater density, darker color, and greater tolerance of close mowing.

The most promising plants were identified by their persistence and appearance in old turfs and their performance in spaced-plant nurseries, mowed clonal evaluation tests, and single-plant progeny trails under turf maintenance. Intercrosses of the best performing plants were subjected to varying cycles of phenotypic and genotypic selection depending on their date of collection. New sources of germplasm were added to the breeding program as it became available from the continuing collection program. Each cycle of selection showed continued progress in producing lower-growing, darker green, attractive plants with improved turf performance scores. Selection was also effective in maintaining high seed yields, and good stress tolerance. Substantial progress was made in developing tall fescues with finer leaves, a lower growth profile, increased persistence under close mowing, and increased density.

Large numbers of single-plant progenies were seeded in turf evaluation trials at the Plant Science Research Farm at Adelphia, NJ in 1991, and 1993. An additional test was established at the Rutgers turfgrass research facility in North Brunswick, NJ in 1992. Following a period of summer stress due to heat, drought and disease in 1994, plants were selected from the best performing single-plant progeny turf plots and established two nurseries in the spring of 1994. One contained the best performing turf plots from

the 1992 tall fescue test at North Brunswick, and the 1991 test at Adelphia, totaling 4,620 plants. These were selected from 1,060 single- plot progeny turf plots from 17 populations from the 1992 tall fescue tests at North Brunswick and 1,025 single-plant progeny plots from the 1991 tall fescue test at Adelphia, New Jersey. The second nursery contained 1,428 plants from the best performing turf plots from the 1993 tall fescue test at Adelphia, NJ. These were chosen from 960 plots in the 1993 trial. Selection of progenies was based on performance records as well as appearance at the time the plants were selected from these progeny plots. Selection of plants from each progeny was based on an attractive dark green color, medium-fine leaves, abundant tillering, and freedom from disease.

In the spring of 1996, 127 plants were selected from those two-year old nurseries for characteristics such as medium maturity, dark green color, intermediate shoot density, semi-dwarf growth habit, freedom from disease and high seed yield potential and moved, prior to anthesis, to an isolated crossing block at Adelphia. One hundred and ten plants from 63 different lines were harvested from the crossing block for high seed yield, excellent floret fertility and freedom from disease. In the fall of 1996, one turf plot of each line was established at Adelphia and 1 gram of seed from each plant was sent to Lofts Seed, Inc., for increase and further nursery evaluation. Lofts were subsequently bought by Agribiotech Inc.. Proseeds Marketing, Inc. purchased this variety from the ABT auction in July, 2001.

MCN tall fescue has remained a stable and uniform variety for three generations and over six years. Any variants within the variety would be slightly taller and of a lighter green leaf color, and there are less than five percent of these variants.

#### References

1. Buckner, Robert C., Jerrell B. Powell, and Rod V. Frakes. 1979. Historical Development, in Buckner, Robert C., and Lowell P. Bush (editors) Tall Fescue.

## #200400226

Agronomy Monograph 20. American Society of Agronomy, Crop Science Society of America, Soil Science Society of America, Inc., Publishers. Madison, Wisconsin pages 1-8.

2. Funk, C.R., R.E. Engel, W.K. Dickson, and R.H. Hurley. 1981. Registration of Rebel tall fescue. Crop Sci. 21:632.

#### Diagram of Origin and Breeding History of MCN Tall Fescue

#### 1. 1962 to 1994

Germplasm collection, evaluation, and genetic improvement.

#### 2. 1991 to 1993

Planted single-plant progenies of plants selected from current cycles of population improvement programs in closely mowed turf trials at Adelphia and North Brunswick, NJ.

#### 3. 1994

Selected 6,048 plants to establish two spaced-plant nurseries in the spring of 1994 at Adelphia, NJ from the best performing single-plant progeny turf plots planted in 1991, 1992 and 1993.

#### 4. 1996

Moved 127 plants with medium maturity, dark green color, intermediate shoot density, semi-dwarf growth habit, freedom from disease and high seed yield potential to an isolated crossing block. On hundred and ten plants were harvested from the crossing block with excellent appearance and floret fertility.

#### Exhibit B. Statement of distinctness

Five point is distinct from all other tall fescue varieties by a combination of turf and morphological measurements. Five point is most similar to Rebel Jr. Five point has a flag leaf length that is shorter than Rebel Jr. (Tables 1-2, Exhibit. D). In addition, Five Point has an erect panicle habit, whereas Rebel Jr. has a nodding panicle type.

Public reporting burden for this collection of information is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Agriculture, Clearance Officer, OIRM, AG Box 7630, Jamie L. Whitten Building, Washington, D.C. 20250. When replying, refer to OMB No. 0581-0055 and form number in your letter. Under the PRA of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

The U.S. Department of Agriculture (USDA) prohibits discrimination in its programs on the basis of race, color, national origin, sex, religion, age, disability, political beliefs, and marital or familial status. (Not all prohibited bases apply to all programs). Persons with disabilities who require alternative means for communication of program information (braille, large print, audiotape, etc.) should contact the USDA Office of Communications at (202) 720-2791. To file a complaint, write the Secretary of Agriculture, U.S. Department of Agriculture, Washington, D.C. 20250, or call (202) 720-7327 (voice) or (202) 720-1127 (TDD). USDA is an equal opportunity employer.

# U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE SCIENCE AND TECHNOLOGY PROGRAM PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MD 20705

EXHIBIT C (TALL & MEADOW FESCUES)

### OBJECTIVE DESCRIPTION OF VARIETY TALL & MEADOW FESCUES

(Festuca spp.)

NAME OF APPLICANT(S)	TEMPORARY DESIGNA	TION  VARI	ETY NAME
ProSeeds Marketing, Inc.	MCN	   Five F	oint
ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP Code)  13963 Westside 1	Lane S.	1000000	OFFICIAL USE ONLY NUMBER
Tesserson, OR 9	17352	#2 C	0 4 0 0 2 2 6
(BT: 10/4/2007)		· · · · · · · · · · · · · · · · · · ·	
Place the appropriate number that describes the varietal characteristics of Characteristics described, including numerical measurements, should re SPACED PLANTS. Royal Horticultural Society or any recognized color asterisk * are characteristics which should be recorded.	epresent those that are typical r fan may be used to determin	for the variety.	Measured data should be for
* 1. SPECIES: (With comparison varieties, use varieties within the speci	ies of the application variety)		
1 = F. arundinacea (Tall) $Turf T$	ypes		
1 = Kentucky 31 2 = Rebel 3 = Olympic	4 = Bonanza	5 = Arid	6 = Rebel II
7 = Shortstop $8 = Silverado$ $9 = Rebel Jr$ .	10 = Mini Mustang	11 = Crewcut	12 = Bonsai
Forage	Types		
20 = Kentucky 31 21 = Martin	22 = Forager 23 = Mo	zark	
24 = Kenhy 25 = AU Triump	$h_{26} = Fawn$ 27 = Caj	un	
2 = F. pratensis (Meadow)			
30 = Admira $31 = Beaumont$ $32 = Co$	omtessa 33 = Ensign	34 = Trader	
* 2. CYTOLOGY:			
Chromosome Number			
3. ADAPTATION: (0 = Not Tested; 1 = Not Adapted; 2 = Adapted)			
2_Transition Zone2West2Northeas	st Other (Specify):		
* 4. MATURITY: (Date First Headed, 10% of Panicle Emergence)			
7 Maturity Class	3 = Early (Fawn)	4 = K31, Kenhy	5 = Medium (Rebel)

	6 = Bonanza	7 = Late (Silverado)	8=( )	9 = <b>4</b> 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0400226
	leaded1 May 2003 comparison variety ID's refer to the num	Location bers listed under Turf types, p. 1	l; example variety 8	Lebanon, OR; 3=Silverado)	
	Days earlier than  Maturity same as8	Comparison Variety		·	
	13 Days later than1_ <b>J</b>	companion (unol)			
* 5. M from	ATURE PLANT HEIGHT CM: (Average crown to top of panicle, if panicle is node	e of 100 culms * INTERNOD ling, straighten) (First internode	E LENGTH CM: e subtending the fla	g leaf)	
	90.2 cm Height	1	8.5_cm Internode	Length	
	_19 cm Shorter than _6	_	cm Shorter	r than	
	Height same as	Comparison Variety	Length san	ne as 11_	Comparison Variety
	Height same as	Comparison variety	Length san	than _ $\int$	Comparison variety
* HEI	GHT AT EAR EMERGENCE CM: (Fla	g leaf height from crown to flag	leaf collar)		
	53.5 cm Height				
*	cm Shorter than				
	Height same as 11	Comparison Variety			
	cm Taller than <b></b>	Comparison variety			
* 6. GR	OWTH HABIT: (Mature Plants)		******		
	_9_ 1 = Prostrate ( ) 3 =	= Semiprostrate ( )	5 = Horizontal (	)	
	7 = Semierect (Rebel)	9 = Erect (Mini Mustang	)		
* 7. RH	IZOMES (Psuedo):				
	mm Length1_1 = Ab	sent ( ) 2 = Rare (Rebel	3 = Co	mmon ( )	
* 8. LE	AF BLADE: (Tiller leaves/ turf color)		·		
	*_7_Color: 1 = Light green ( )	3 = Medium ligh	ht green ( )	5 = Green ( )	
-	7 = Medium dark gre	en ( ) 9 = Very dark g	reen ( )		
	7=Rebel Jr Sp	ecify rating of comparison varie	ty		
.,	*1_ Anthocyanin: 1 = Absent (	9 = Present (	)		
	*_1 Basal Hairs: 1 = Absent (	9 = Present (	)		
	*_9 Margins: 1 = Smooth	( )   5 = Semi-rough	( )	9 = Rough ( )	

	*_7_Width Class: 1 = Very coarse ( )	3 = Coarse ( ) 5 = Medium (#200400226
	7 = Fine ( )	9 = Very Fine ( )
* TILL	LER LEAF LENGTH CM: (First leaf subtending the flag l	leaf) * TILLER LEAF WIDTH MM:
	23.8 cm Tiller Leaf Length	_5.9_ mm Tiller Leaf Width
	3.5 cm Shorter than <u>Terradyne</u>	$\underline{0.9}$ mm Narrower than $\underline{6}$
	Length same as Comparison V	ariety Width same as Comparison Variety
٠	cm Taller than <b>J</b>	mm Longer than
FLAG I	LEAF LENGTH CM:	FLAG LEAF WIDTH MM:
	_12.0_ cm Flag Leaf Length (avg. 2 years)	
•	3.1 cm Shorter than 9	_0.6_ mm Narrower than_6_
	Length same as	Width same as
	cm Longer than	
•	<i> </i>	min wice than J
* 9. LE.	AF SHEATH: (Basal Portion)	
	* Anthocyanin (seedling): 1 = Absent (K31)	9 = Present ( )
	*_9 Auricle Hairiness: 1 = Absent ( )	9 = Present()
10. PA	ANICLE: (At seed maturity except where noted.)	050/
	*_5_ Shape: 1 = Narrow-tapering ( )	95% ovate; 5% narrow tapering 5 = Ovate ( ) 7 = Oblong ( ) 9 = Other (specify)
	at the search of	84% open; 16% intermediate  5 = Intermediate ( ) 7 = Open ( ) 9 = Other (specify)
1	*_9 Orientation: 1 = Nodding ( )	9 = Erect ( ) 90% erect; 10% semi-erect
	*_9_Branch Pubescence: 1 = Glabrous ( )	9 = Pubescent ( )
	*_6 Anther Color (At anthesis): 1 = Yellowish Green	en 2 = Green 3 = Bluish Green
	4 = Purplish	5 = Reddish 6= Other (Specify) 6= yellow
	* 5 Glume Color (At anthesis): 1 = Yellowish Gree	en 2 = Green 3 = Bluish Green
	4 = Purplish	5 = Reddish 6= Other (Specify)
	*19.5 cm Panicle Length (from base to tip, if noddi	ing, straighten; after anthesis)
	_6.8_ cm Shorter than 4	
	Length same as Comparison V	rariety
	cm Longer than	

*_2.3906 g per 1000 seeds	#200400226
mg Less than	
Weight same as	
mg More than f Comparison	Variety
LEA: (Keels or Margins) _1_ Hairs: 1 = Absent ( ) 5 = Sh	ort (Missouri 96) 9 = Long ( )
MMA: _1_ Hairs: 1 = Absent (Kenhy) 5 = Se	veral ( ) 9 = Many (Missouri 96)
6.32 mm Lemma Length (Mature)	1.43 mm Lemma Width
0.12 mm Shorter than _9_	mm Narrower than
Length same as Comparison	Width same as
mm Longer than	Variety Comparison Variety
*AWNS:1_ AWNS: 1 = Absent()	9 = Present (Falcon)0_% Plants with awns
mm Awn length (Of those present.)	
mm Shorter than	
Length same as	
Comparison V	Variety
DISEASE, INSECT, AND NEMATODE REACTION: (0-	= Not Tested 1= Least Resistant 9= Most Resistant)
0 Melting-out <i>Drechslera poae</i>	_0_ Blind Seed Gloeotinia temulenta
_0_ Leaf Spot D. siccans	_ <del></del>
<u> </u>	_0_ Dollar Spot Lanzia, Mollerdiscus spp.
_0 Net Blotch D. dictyoides	4 Stem Rust Puccinia graminis
_6 Brown Patch Rhizoctonia solani	_0_ T. Blight Typhula incarnata
0_ C. Leaf Spot Cercospora fectucae	_0 Pythium Blight Pythium spp.
_0 Pink Snow Mold Gerlachia nivalis	_0 Powdery Mildew Erysiphe graminis
_0 Silver Top F. tricinctum, F. roseum	_0 Crown Rust Puccinia coronata
Other Disease	
Other Insect	
Other Nematode	
ENVIRONMENTAL STRESS	
4_Drought Stress 1 = Susceptible ( )	5 = Tolerant ( ) 9 = Resistant ( ) other: DLSD=6
	5 = Tolerant ( ) 9 = Resistant ( ) 0=not tested

\_6\_ Winter Stress 1 = Susceptible ( )

5 = Tolerant ( ) 9 = Resistant ( )

14. GIVE VARIETY OR VARIETIES THAT MOST CLOSELY RESEMBLE THE APPLICATION VARIETY. For the following characteristics, indicate the degree of resemblance with the following scale:

1 = Application variety is less than comparison variety 2 = Same as 3 = More than, better, greater, darker, etc.

Character	VarietiesRating	Character VarietiesRating
Leaf Width	1, less than Rebel Sentry	Leaf Color 3, darker than Barlexas
Panicle Color		Panicle Shape
Seed Size		Cold Injury
Winter Color	3, better than Wolfpack	Heat
Disease	3, more than Pure Gold, Pink Patch	

<sup>\* 15.</sup> EXPERIMENTAL: Give a brief summary of the experimental design utilized to collect the data used on this form. Cultural conditions, number of plants measured and plant spacing must be specified.

Randomized complete block, 3 replications, 20 spaced plants per replication were planted on 3 foot centers, minimum of 15 were to be measured; Cultural conditions were standard for seed production in the Pacific Northwest, with planting in the Fall and measured the following spring.

## #200400226

													77776																
		, , , , , , , , , , , , , , , , , , , ,				-																							
			Jate					-																					
	Date	Heading	Calendar Date	5/16	5/15	5/15	5/17	5/17	5/16	5/13	5/16	5/14	5/7	5/20	5/15	5/16	5/14	5/13	5/13	5/15	5/15	5/14	2.4	* 14 A W					
	Height at		сш	34.2	39.2	39.5	45.6	45.4	34.4	40.7	31.6	40.8	59.5	30.8	42.6	34.7	38.4	30.4	36.4	35.3	29.9	46.5	4.2						
2002.	Plant		cm	83.8	97.6	95.9	9.66	101.6	81.3	98.1	82.5	96.5	119.3	79.3	102.4	85.7	90.3	80.2	8.68	86.7	80.1	107.8	7.8						
plants, Lebanon, OR 2002.	Flag leaf		cm	9.58	11.95	11.75	13.10	16.69	12.53	13.44	13.05	12.49	17.01	8.01	13.64	11.29	12.34	10.32	11.24	10.61	9.55	15.47	2.6						
		1	mm	4.8	5.2	8.7	5.1	5.7	5.6	5.0	5.2	5.4	5.8	4.4	5.6	4.2	5.4	5.4	5.3	4.3	5.0	6.3	1.4						
fescue, 1 year o	Panicle	gth	E	16.3	18.8	20.3	20.6	25.0	18.7	19.2	16.8	18.8	24.1	14.7	19.2	16.4	18.4	15.5	17.2	14.7	16.0	22.1	2.0						
Plant characters, tall fescue, 1 year old		Variety		MCN	R4-D	Rebel 3D	Rebel II	Bonanza	Rebel Jr	Crewcut	Silverado	MiniMustang	Ky31	Bonsai	Shortstop	5301	Rebel Sentry	Shelby	Rebel Pro	Rebel IV	Terradyne	Rebel III	LSD (P=0.05)		The state of the s	1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.			
lable 1.						1979							777		-				Portion		77-77-84-44								

Table 2.	Plant characters, two year old plants, tal	ers two ve	ar old plants	-	Lahanan	fescile lebanon OR manage 19002	בטטר אים				
		Dinnt	Deniele		י בכוממווטוי,	Oit, illeasul	Eu 2003.				
			Fanicie	Internode Height at		Flag	Flag	Tiller	Tiller	Date	Date
	Variety	Height	length	length	ear	Length	Width	Length	Width	heading	anthesis
		cm Cm	cm	CIII	сш	сш	EE	CM	E	calendar date	calendar date
į	MCN	9.96	22.6	18.5	53.5	14.5	5.1	23.8			
	R4-D	108.5	25.0	18.9	55.9	18.4	6.4	25.7			
i	Rebel 3D	114.6	26.9	18.9	61.4	17.8	6.6		:	7	
	Rebel II	120.3	26.3	21.6	63.7	17.9	6.0				
	Bonanza	116.2	26.6	20.0	60.8	18.4					
	Rebel Jr	92.8	24.1	17.5	55.4	17.7	6.4				
	Crewcut	113.8	21.5	18.6	53.1	14.4	5.0	22.7	6.0	7	
	Silverado	95.8	22.9	16.7	51.0	16.3	5.3	24.0	5.8		
	MiniMustang	103.5	23.9	17.5	54.6	17.8	5.5	24.4	5.9		
	Ky31	134.1	29.1	22.1	73.5	18.0	6.4	29.6	7.9		
	Bonsai	97.2	19.3	18.8	51.8	11.6	4.6	18.7	5.3	5/4	
	Shortstop	105.6	22.7	17.9	52.6	17.5	5.7	24.6	6.4	5/3	
	5301	92.3	21.4	16.4	48.4	14.6	4.9	23.7	0.9	5/2	
	Rebel Sentry	97.0	22.6	16.1	49.1	15.2	5.4	21.8	6.2	7	
	Shelby	96.7	22.5	16.5	45.8	14.2	5.5	21.0	9.0	5/1	5/28
į	Rebel Pro	92.8	22.5	17.4	51.6	13.6	4.9	21.6	5.8	4/28	5/28
	Rebel IV	95.9	20.4	18.1	51.0	14.5	5.4	22.7	5.9	5/1	5/28
	Terradyne	91.2	19.5	16.8	46.5	12.8	4.8	19.5	5.4	5/2	5/29
	Rebel III	114.0	27.0	19.5	56.8	19.1	6.4	28.0	6.8	4/28	5/29
LSD (P=0.05)	15)	10.9	2.6	2.9	7.7	2.7	0.7	3.1	0.7	3.6	1.6

Table 3.	Quality of selecte	ed tall fescues from N	ΓΕΡ, NJ1 and NC	1 locations,	2002 dat
		NJ1	NC1		
	Variety	Quality	Quality		
	MCN	5.50	6.60		
	Rebel Sentry	5.10	6.60		
	Rebel IV	6.80	6.60		
	Bonsai	3.40	4.90		
	Wolfpack	4.80	6.00		
	LSD=0.05	0.80	0.70	(Scale:1-9	9 = hast

REPRODUCE LOCALLY, Include form number and edition date on all	reproductions. F	ORM-APPROVEDOMB-No. 0581-0058
U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE  EXHIBIT E  STATEMENT OF THE BASIS OF OWNERSHIP	Application is required in order to detect certificate is to be issued (7 U.S.C. 24 confidential until the certificate is issued.	(21). The information is held
1. NAME OF APPLICANT(S)	2. TEMPORARY DESIGNATION	3. VARIETY NAME
ProSeeds Marketing, Tric.	OR EXPERIMENTAL NUMBER MCN	Five Point
4. ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP, and Country)	5. TELEPHONE (Include area code)	6. FAX (include area code)
	, i	,
13963 Westside Lane, S.	(541) 451-1847	(541) 451-1847
Jefferson, OR 97352	7. PVPO NUMBER	
(8T:10/1/2007) 8. Does the applicant own all rights to the variety? Mark an "X" in the		0 4 0 0 2 2 6 VES D NO
licensed from Rutgers, assignment	altached	
9. Is the applicant (individual or company) a U.S. national or a U.S. ba	ased company? If no, give name of co	ountry. YES NO
10. Is the applicant the original owner?	NO If no, please answer <u>one</u> o	of the following:
a. If the original rights to variety were owned by individual(s), is (a YES  b. If the original rights to variety were owned by a company(ies),  YES  11. Additional explanation on ownership (Trace ownership from origin  Assembling of germplasm by Rutgers Univ. with license to Lofts;  SOB group, with final parceling of license to MCN to ProSeeds M	is (are) the original owner(s) a U.S. bas  NO If no, give name of country  al breeder to current owner. Use the re  Seed Inc for breeding; Lofts sold to AE  larketing for final production and mark	ed company?
	9^Inc (Bri i <i>3/19/</i> 2006 per applitan	's authorization)
PLEASE NOTE:		
Plant variety protection can only be afforded to the owners (not license	ees) who meet the following criteria:	
If the rights to the variety are owned by the original breeder, that penational of a country which affords similar protection to nationals of	rson must be a U.S. national, national o the U.S. for the same genus and specie	fa UPOV member coûntry, or is.
<ol><li>If the rights to the variety are owned by the company which employe nationals of a UPOV member country, or owned by nationals of a co- genus and species.</li></ol>	ed the original breeder(s), the company ountry which affords similar protection to	must be U.S. based, owned by nationals of the U.S. for the same
3. If the applicant is an owner who is not the original owner, both the o	riginal owner and the applicant must me	eet one of the above criteria.
The original breeder/owner may be the individual or company who direct for definitions.	cted the final breeding. See Section 4	(a)(2) of the Plant Variety Protection
According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, a control number. The valid OMB control number for this information collection is 0581-0055. Tincluding the time for reviewing the instructions, searching existing data sources, gathering an	he time required to complete this information collect	on is estimated to average 0.1 hour per response
The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and act marital or family status, political beliefs, parental status, or protected genetic information. (Not communication of program information (Braille, large print, audiotape, etc.) should contact US:	all prohibited bases apply to all programs ). Person:	with disabilities who require atternative means for

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, D.C. 20250-9410 or call (202) 720-5964 (voice and TDD). USDA is an equal opportunity provide and employer.

#### ASSIGNMENT OF FIVE POINT (MCN) TALL FESCUE

WHEREAS, Virginia Lehman, Blue Moon Farm, 811 Mountain River Drive, Lebanon, OR 97355; William A. Meyer, 137 Bucks Mill Road, Colts Neck, NJ 07722; Bruce B. Clarke, 93 Trieste Street, Iselin, NJ 08830; Barbara Fitzgerald, 5 South Edward Street, Sayreville, NJ 08872; and C. Reed Funk, Jr., 4 Delaware Drive, East Brunswick, NJ 08816 have cooperated in the breeding and development of Five Point (MCN) tall fescue.

NOW, THEREFORE, IN CONSIDERATION OF ONE DOLLAR (\$1.00) and other valuable considerations made to each of us, and ONE DOLLAR (\$1.00) and other valuable consideration made to the New Jersey Agricultural Experiment Station, including those made in the Agreement dated Feb. 19, 1997 between the New Jersey Agricultural Experiment Station and Pro Seeds Marketing, Inc. (formerly Lofts Seed Inc., P.O. Box 26223, Winston-Salem, North Carolina 27114), we hereby assign unto said Pro Seeds Marketing, Inc., 13963 Westside Lane S. Jefferson, OR 97352; our entire interest in Five Point (MCN) tall fescue for the United States and all foreign countries and any plant variety protection to be issued therefore in the United States or any foreign country. The commissioner, Plant Variety Protection Office is requested to issue the plant variety protection certificate in accordance herewith.

Virginia Lehman

Sworn and subscribed to before me this \\tag

OFFICIAL SEAL JAMIE D MC KENZIE NOTARY PUBLIC - OREGON

COMMISSION NO. 369864 MY COMMISSION EXPIRES JUNE 22, 2007

Notary Public of Oregon

Bruce B. Clarke

Sworn and subscribed to before me this // day

Notary Public of New Jersey

FRANCINE C. LAANUI NOTARY PUBLIC OF NEW JERSEY Commission Explies 11/29/2004 William A. Meyer

RANCINE C. LAANUI NOTARY PUBLIC OF NEW JESSEY Commission Expires 11/29/2004

Sworn and subscribed to before me this Ziday

Notary Public of New Jersey

C. Reed Funk, Jr.

Commission Expires 11/2/2000

Sworn and subscribed to before me this ? day

2004.

Notary Public of New Jersey

FRANCINE C. LARNUN NOTARY PUBLIC OF NEW JERSEY Commission Expires 11/20/2928 Barbara Filzgerald

Barbara Fitzgerald

Sworn and subscribed to before me this 7 day

of May, 2004.

Notary Public of New Jersey

FRANCINE C. LAANU! NOTARY PUBLIC OF NEW JERSEY Commission Expires 11/29/2004